			REVISION]	
LETTER	DFTSMAN	DATE	DESCRIPTION	APPROVED	DATE
(A)	TAH	10/4/93	GENERAL UPDATE & CHANGED MATERIAL SPEC. ON -011 -005 & -003.		J,
₿	TAH	10/29/93	REVISED NOTE 1, CANCELLED NOTES 2,3 & 4 FROM F/D		
0	TAH	12/6/93	GENERAL UPDATE		
0	TAH	5/3/94	REMOVE NOTCH FROM -007 AFT ANGLE & REMOVE 4ea. RIVET HOLES FROM -005 LOWER BRACKET & 2ea. RIVET HOLES FROM -009 SIDE ANGLE		
(Ē)	JRM	12/15/95	INCORPORATED EO-E1	P. SCHWARTZ 96.014 96.015 96.016	3/21/96 3/21/96 3/21/96

<u>^</u>	AFTER BOND	R ASSEMBL'	LUNIT S REMENTS	HALL OF I	MEET TH	IE GROU 087 CLA	INDIN SS R	G &c	
<u>\$</u>	APPLY	POLYMIDE	PRIMER	TO A	SSEMBLE	D UNIT,	REF	P.S.	4004
4	CANCE	LLED B							

A CANCELLED B

CANCELLED ®

CHEMICAL COATING PER MIL-C-5541E CLASS 1A. (B)

N	Ο.	Ti	Ε	S	:

			Τ	Т	Т	8	MS21059L3		<u>-</u>	l NII	IT PLA	TF	1	· · ·			Τ
			\dagger	\dagger		8	MS20426AD4			RIV		\	-				
						16	MS20426AD3			RIVET			-				
		47 MS20470AD4						RIVET				-2.440					
		\perp				1	41228-301-036-01	1		SHIM		1.5x7.4x.090		2024-T3	QQ-A-250/	′4 Ø	
			2 41228-301-036-00 1 41228-301-036-00				9		SIDE ANGLE		TIERN		-796 2024-T3511 QQ-A-200/3				
							41228-301-036-007	17		AF	Γ ANG	LE	TIERNAY 60-		-796 2024-T3511 QQ-A-200/3		
١.			1 41228-301-036-00			<u> </u>		LOWER BKT. UPPER BKT.			9.25x13.0x.063		2024-T3 QQ-A-250/4 🕲				
			1 41228-301-036-003				<u> </u>							2024-T3 QQ-A-250/4 @			
							41228-301-036-001	1		ASSY							
	NC.	NO. REQ'D PER ASSY				10.		NAME LIST OF MA		STOCK SIZE		MATERIAL	MATL.SPEC	ZONE			
	PROP	RIETAF S NOTI	RY	Ï					UNLES	VISE	DRFTSMN		RVILLE	9/17/93	TITLE		
	PROPI ERA AN	DATA ARI RIETARY TO MATION, IN URE, REPR	L	\dashv	\dashv				SPECIF X.±. XX.±.	1	STRESS				FUEL HOSE	MOUNTING BI	RACKET
	DUCTION, OR USE THESE DATA FOR A PURPOSE IS FORBI DEN WITHOUT WRITT AUTHORIZATION FR		<u>⊳.</u> ⊏	-001	1	4	1228-301-037	\dashv	XXX.±.(010 ES	PROJ. ENGR. HEAT TREAT		2		DWG. SIZE C	SCALE NONE	
	ERA AV THE FOR NOT	MATION, IN REGOING DO APPLY TO OR PARTS.	ès 🗖	ASH I	REQ'D PER ASSY		NEXT ASSEMBLY	MOL	±.1	/2	FINISH 1	/5\	三	∟ra A	viation, Inc.	41228-301-0 SH 1 OF	036 E







